

UNITED STATES OF AMERICA
DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number WR1R594K

This certificate is issued to
FIELDTECH AVIONICS AND INSTRUMENTS, INC.

whose business address is

**4151 N. MAIN ST., LOC 3N
FORT WORTH, TEXAS 76106**

*upon finding that its organization complies in all respects
with the requirements of the Federal Aviation Regulations
relating to the establishment of an Air Agency, and is
empowered to operate an approved* **repair station;**

with the following ratings:


RADIO	
INSTRUMENT	(02-11-1994)
LIMITED ACCESSORY	(09-05-2001)
LIMITED AIRFRAME	(05-03-1999)
LIMITED SPECIALIZED SERVICE	(03-23-2004)

*This certificate, unless canceled, suspended, or revoked,
shall continue in effect indefinitely.*

Date issued:

October 9, 1975

By direction of the Administrator


Jack M. Calvert

Acting Manager, AFW FSDO

**This Certificate is not Transferable, AND ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF,
SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION**

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	12/13/2017	10
002 Definitions and Abbreviations	12/14/2017	09/13/2019	10
003 Ratings and Limitations	04/03/2017	12/07/2021	41
004 Summary of Special Authorizations and Limitations	09/23/1998	12/13/2017	6
007 Designated Persons	09/08/2021	01/31/2022	13
101 Additional Fixed Locations	02/15/2018	03/30/2020	1
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	04/06/2010	5

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	09/16/2009	8

A001 . Issuance and Applicability

HQ Control: 02/11/2016

HQ Revision: 05e

a. These operations specifications are issued to FIELDTECH AVIONICS AND INSTRUMENTS, INC., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:
4151 N. Main Street, Location 3N
Meacham International Airport
Fort Worth, Texas 76106

Mailing Address:
PO Box 4455
Fort Worth, Texas 76164-0455

b. The holder of these operations specifications is the holder of certificate number WR1R594K and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. The repair station specified on these operations specifications and located within the United States performs maintenance and/or an alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of the U.S./EU Safety Agreement, Annex 2, Maintenance, between the FAA and the EU.

e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities:

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Michael L Ailport, Principal Maintenance Inspector (SW19)

[1] SUPPORT INFO: Revision 05e minor change

[2] EFFECTIVE DATE: 12/13/2017, [3] AMENDMENT #: 10

DATE: 2017.12.13 07:04:37 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Randy A. Cross

Cross, Randy A., Quality Assurance Manager

December 13, 2017

Date

A002 . Definitions and Abbreviations

HQ Control: 12/14/2017

HQ Revision: 05d

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
Certificate Holder	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
CAAS	Civil Aviation Authority of Singapore
CFR	Code of Federal Regulations
Class Rating	As used with respect to the certification, ratings, privileges of airframes, powerplants, propellers, radios, instruments, and accessories within a category having similar operating characteristics.
EASA	European Aviation Safety Agency
EASA Accountable Manager	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
EU	European Union
Exemption	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
FOCA	Federal Office of Civil Aviation
FAA Accountable Manager	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

Geographic Authorization	Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
Limited Rating	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
Limited Ratings - Specialized Services	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
Line Maintenance	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
MAG	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.
Maintenance	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
U.S./EU Aviation Safety Agreement, Annex 2, Maintenance	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
MIP	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).
MOE	A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

**Preventive
Maintenance**

As defined in 14 CFR part 1 and part 43 appendix A,
subparagraph (c).

QCM

Quality Control Manual

**Repair Station located
in the United States**

A FAA certificated repair station located in the United States.

**Repair Station located
outside the United
States**

A FAA certificated repair station located outside of the United States.

RSM

Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Lonnie D. McDaniel, Principal Avionics Inspector (SW19)
[1] EFFECTIVE DATE: 9/13/2019, [2] AMENDMENT #: 10
DATE: 2019.09.13 08:55:20 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Randy Cross", written over a horizontal line.

Randy A. Cross, Quality Assurance Manager

September 13, 2019

Date

A003 . Ratings and Limitations

HQ Control: 04/03/2017

HQ Revision: 01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

Instrument Class 1: Mechanical
Instrument Class 2: Electrical
Instrument Class 3: Gyroscopic
Instrument Class 4: Electronic
Radio Class 1: Communications Equipment
Radio Class 2: Navigational Equipment
Radio Class 3: Radar Equipment

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Accessories	From the Capability List, as amended.	From the Capability List, as amended.	Limited to test, inspect, repair, removal, installation and Overhaul. Not to include rebuild.
Airframe	From the Capability List, as amended.	From the Capability List, as amended.	Perform Installations and maintenance of Radio, Instrument, Electrical and Accessory Systems in aircraft, including weight and balance reports. This authorization is limited to the appropriate Radio, Instrument and Accessory ratings held by this Repair Station. This Repair Station may approve for return to service only those aircraft altered in accordance with previously approved data.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
Refinishing and Testing of Antennas	Process Specification ANT001	Repair limitations as contained in the referenced Civil or Military Specification.
Refinishing of Antennas	Process Specification ANT002	limitations as contained in the referenced Civil or Military Specification.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy C. Hughes, Principal Avionics Inspector (SW19)
[1] EFFECTIVE DATE: 12/7/2021, [2] AMENDMENT #: 41
DATE: 2021.12.07 10:19:45 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, reading "Randy A. Cross", written over a horizontal line.

Randy A. Cross, Quality Assurance Manager

December 7, 2021

Date

A004 . Summary of Special Authorizations and Limitations

HQ Control: 09/23/1998

HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	Reference Paragraphs
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is *not* authorized and shall not:

	Reference Paragraphs
Use Exemptions.	A005
Use an acceptable electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform maintenance with EASA ratings where the scope of work is authorized by a BASA/MAG (U.S.-EU), MIP/MaG (U.S.-Swiss).	A060
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Michael L Ailport, Principal Maintenance Inspector (SW19)

[1] SUPPORT INFO: Add D101

[2] EFFECTIVE DATE: 12/13/2017, [3] AMENDMENT #: 6

DATE: 2017.12.13 07:09:08 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Randy Cross", written over a horizontal line.

Cross, Randy A., Quality Assurance Manager

A handwritten date in blue ink, "December 13, 2017", written over a horizontal line.

Date

A007 . Designated Persons

HQ Control: 09/08/2021

HQ Revision: 03a

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized	Email Address
Director of Operations	Beckham, Carol A.	A,D	
FAA Accountable Manager, 145 / accountable Manager	Keith, Mike	A,D	
Quality Assurance Manager	Cross, Randy A.	A,D	
EASA Accountable Manager, 145 / Vice President	Mills, David A.	A,D	
General Manager	Taylor, Devlin	A,D	

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (InFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive InFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Cross, Randy A.	rcross@ftav.com	817-625-2719	ALL
Keith, Mike	mkeith@ftav.com	817-625-2719	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy C. Hughes, Principal Avionics Inspector (SW19)
[1] EFFECTIVE DATE: 1/31/2022, [2] AMENDMENT #: 13
DATE: 2022.01.31 13:27:28 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Randy A. Cross", written over a horizontal line.

Randy A. Cross, Quality Assurance Manager

A handwritten date in blue ink, "Jan/31/2022", written over a horizontal line.

Date

A101 . Additional Fixed Locations

HQ Control: 02/15/2018

HQ Revision: 01a

a. The certificate holder may perform work at the following additional fixed location(s) listed in Table 1 below, provided it has the facilities, material, equipment and technical personnel to perform the work authorized :

Table 1

Additional Location Address(es)				
Address	City	State	Country	Postal Code
2200 NE Loop 820	Fort Worth	Texas	UNITED STATES	76106

b. This authorizes the certificate holder to use multiple locations to perform its operations under a single certificate.

c. This authorization does not constitute work performed at additional location(s) outside the domiciled country.

d. The certificate holder may perform continuous operations at the facilities listed in Table 1 above.

e. All the authorizations and exemptions authorized for the certificate holder apply at these locations, as applicable.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Daniel Bonilla, Principal Maintenance Inspector (SW19)

[1] SUPPORT INFO: Reissued for template update

[2] EFFECTIVE DATE: 3/30/2020, [3] AMENDMENT #: 1

DATE: 2020.03.30 13:56:58 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, reading "Randy A. Cross", is written over a horizontal line.

Randy A. Cross, Quality Assurance Manager

A handwritten date in blue ink, reading "3/30/2020", is written over a horizontal line.

Date

A449 . Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009

HQ Revision: 00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

	Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:
Telephone Number:	A1 (817) 625-2719
Address:	4151 N. Main Street
Address:	Location 3N
City:	Fort Worth
State:	TX
Zip code:	76106

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.04.06 15:51:26 Central Daylight Time
Location: WebOPSS
Digitally signed by Louis Vargo, Principal
Avionics Inspector (SW19)

4. Date Approval is effective: 04/06/2010 Amendment Number: 5
5. I hereby accept and receive the Operations Specifications in this paragraph.

Click, Katrina L., General Manager

Katrina L. Click

Date: 04/06/2010

**D100. Work to be Performed at a Place Other Than the Repair
Station Fixed Location(s)**

HQ Control: 11/16/2004

HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Maintenance and Alterations on an On-Call basis	Section III, page 4	N/A

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2009.09.16 12:45:48 Central Daylight Time
Location: WebOPSS
Digitally signed by Louis Vargo

4. Date Approval is effective: 09/16/2009

Amendment Number: 8

5. I hereby accept and receive the Operations Specifications in this paragraph.

Click, Katrina L., General Manager

Katrina L. Click

Date: 9/16/2009

Accessories	
Equipment Manufacturer	Equipment Make/Model/Series
Aerospace Lighting Corp.	<u>Power supply/inverter:</u> 55 Series <u>Protected Power Supply:</u> AL-2000
Avionics Instruments Inc.	<u>Inverters:</u> 1A50 Series, 2A50 series, 3A50 Series, 1A125 Series, 2A125 Series, 3A125 Series, 1A250 Series, 1B250 Series, 2A250 Series, 3A250 Series, 1A350 Series, 2A350 Series, 3A350 Series, 1B350 Series, 2A375 Series, 1B375 Series, 1A700 Series, 1A750-1A 1B800 Series, 2A800 Series, 1A1000 Series, 1A1050 Series, 1B1000 Series, 2A1000 Series, 3A1000 Series, MSI-800 Series, MSI-805 Series, MSI-806 Series
AIM	<u>Inverters:</u> P20 and P21
Barber-Coleman	<u>Cabin Temperature Controller:</u> CYLZ9860-1
Bendix	<u>Inverters:</u> 1518-8-E, 1518-14-E, 1518-16-E
BF Goodrich/J.E.T./L3	<u>Inverters:</u> SI-100 Series, SCR-750, SC-841A, SI-1000 Series, SI-1250A, SI-1500A, SI-2500, SI-2500LP, SI-3000 Series, SI-3003B <u>Emergency Power supplies:</u> PS-800, PS-801, PS-823 Series, PS-835 Series, PS-850, PS-855
Collins	<u>Lighting Power Unit:</u> 639U-1
Flite-Tronics	<u>Inverters:</u> PC Series
GE Aviation	<u>Inverters:</u> ASH500-IPB, ASH664-1 Series
Grimes	<u>Lighting:</u> 10-0067-7, 10-0067-9, 30-1125-1 <u>Power supplies:</u> 60-1321 Series, 60-1750 Series, 60-3274 Series <u>Annunciator Panel:</u> 80-0311 Series

Accessories	
Equipment Manufacturer	Equipment Make/Model/Series
Honeywell	<u>Voltage Converter</u> : 28-14, KA-39
Hoskins	<u>Power Supplies</u> : 61-2004, 61-2008 <u>Base/Timer Unit</u> : 62-1038, 62-2024, 62-2028, 62-2034, 62-2038, 62-2058
KGS	<u>Inverters</u> : SB101, SB120, SC50, SE25 Series, SPC-5 Series, SPC10 Series, SPC 30 Series, SPC30A Series, SPC-38 Series, SS50, SPC-60 Series, SPC-60E Series, SPC-75 Series, SB100, SS100, SS101, SB120, SS120, WH120, SB200, SB200B SPS205 Series, SPS206 Series, SPS305 Series, SPS305B Series, SPS306 Series, SPS306B Series, SPS315 Series, SPS316 Series, SPS750 Series, SPS1307 Series, SPS1607 Series, SPS2052 Series, SPS3052 Series, SPS3052B Series, SPS3062 Series <u>DC to DC Converters</u> : UC-28-14, LT-48 Series, RG-40 Series, LT-52A, LT-53, LT-55 Series, LT-70, LT-73, LT-100, LT-103, RB-125, RB-126 <u>Static Frequency Changers</u> : SPS-1308-3, SPH-1606B-3, SPH-1606E-3, SPH-1606G-3
Ledex	<u>Selector Switch</u> : 175096-001, <u>Relay Box</u> : 172935-001, 187408-001
Leland	<u>Inverters</u> : ASH584 Series
Narco	<u>Inverters</u> : MP-15, MP-20, MP-200
Nature Pure	<u>Water Purifier</u> : NPS-A2
Pacific Electro Dynamics Inc.	<u>Windshield Temperature Controller</u> : 231-2 <u>Power Supply</u> : 449 Series
Phoenix Aerospace Inc.	<u>Inverters</u> : DH-1030-24-1200-CS, <u>Transverters</u> : BH-1030-24-100-CS, DH-1030-24-600-CS, DH-1030-24-600-CSIIB
Precision Winding Inc.	<u>Power supplies</u> : PW-28S-30CC Series, PW-28S-40CC Series, PW-6900013, PW-6900019, PW-6900020, PW-6900035, PW-6900040, 6900013 Series, 6900019 Series, 6900020 Series, 6900035 Series, 6900053 Series
Sextant Avionique	<u>Inverter</u> : TSG420-101

Limited Ratings Capabilities List
Repair Station # WR1R594K

[illegible]

Page 3 of 10

Quality Manager Signature: Randy Cross Date: April 21, 2022

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Aermacchi S.p.A. (Sial Marchetti)	F.260, F.260B, F.260C, F.260D
Aero Commander (Dynac Aerospace Corp)	10,10A, 100, 100A, 100-180
Aerostar Aircraft Corp. (Piper Aerostar)	PA-60-600, PA60-601, PA60-601P, PA-60-602P, PA-60-700P, 360, 400
Agusta	A109, A109C, AW109, A109A, A109E A119, AW119
American Champion	402, 7EC, 7GCB, 7ECA, 7KAB, 7GCA, 7KC, 7GCAA, 7GCBC, 8KCAB, 8GCBC
Aviat (Sky International)	A-1, A-1A, A-1B, A-1C, S-1, S-1C, S-1D, S-1E S-1F, S-1S, S-1SS, S-1T, S-1-11B, S-2, S-2A, S-2B, S-2C, S-2E, S-2S, S-2SE
Bell	47, 47A, 47B, 47B-3, 47C, 47D, 47D-1, 47E, 47F, 47G, 47G-2, 47G-2A, 47G-2A-1, 47G-3, 47G-3B, 47G-4, 47G-5, 47H-1, 47J, 204, 204B, AB204, 204B-2, 205, 205A, 205A-1, 205B 206, 206A, 206A-1, 206B, 206B-2, 206B-3, 206L, 206L-1, 206L-3, 206L-3T, 206L-4, 206LT, 206L-1T, 212, AB212, 214, 214A, 214A/C, 214B, 214B-1, 214ST, 222, 222B, 222U, 222SP, 230, 407, 412, 412EP, 412SP, AB412, AB412EP, 427, 430, BA609
Bellanca (Alexandria Aircraft LLC)	14-13, 14-13-2, 14-13-3, 14-13-3W, 14-19, 14-19-2, 14-19-3A, 17-30, 17-30A, 17-31, 17-31A, 17-31TC, 17-31-ATC
Boeing	B29
Bombardier (Canadair)	CL600
British Aerospace	BAE125, BAE146

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Britten-Norman (B-N Group Limited)	BN-2, BN-2A, BN-2A-2, BN-2A-3, BN-2A-6, BN-2S-8, BN-2A-20, BN-2A-21, BN-2A-26, BN-2A-27, BN-2B-20, BN-2B-21, BN-2B-26, BN-2B-27, BN-2T, BN-2T-4R, BN2A MKIII, BN2A MKIII-2, BN2 MKIII-3
Cessna	120, 140, 150, 150A, 150B, 150C, 150D, 150E, 150F, 150G, 150H, 150J, 150K, 150L, 150M, A150K, A150L, A150M, 152, A152, 1710, 170A, 170B, 172, 172A, 172B, 172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S, 172RG, R172E, R172F, R172G, R172H, R172J, R172K, P172D, 175, 175A, 175B, 175C, 177, 177A, 177B, 177RG, 180, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, 180K, 182, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P, 182Q, 182S, 182T, R182, T182, TR182, T182T, 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F, 190, 195, 195A, 195B, 206, P206, P206A, P206B, P106C, P206D, P206E, TP206A, TP206B, TP206C, TP206E, U206, U206A, U206B, U206C, U206D, U206E, U206F, U206G, TU206A, TU206B, TU206C, TU206D, TU206E, TU206F, TU206G, 206H, T206H, 207, 207A, T207, T207A, 208, 208A, 208B, 210, 210A, 210B, 210C, 210D, 210E, 210F, T210F, 210G, T210G, 210H, T210H, 210J, T210J, 210K, T210K, 210L, T210L, 210M, T210M, 210N, P210N, T210N, 210R, P210R, T210R, 210-5, 210-5A, T303, 310, 310A, USAF U-3A, USAF U-3B, 310B, 310C, 310D, 310E, 310F, 310G, 310H, E310H, 310I, 310J, 310J-1, E310J, 310K, 310L, 310N, 310P, T310P, 310Q, T310Q, 310R, T310R, 320, 320A, 320B, 320C, 320D, 320E, 320F, 320-1, 335, 336, 337, 337A, 337B, T337B, 337C, 337E, T337E, T337C, 337D, T337D, M337B, 337F, T337F, 337G, T337G, 337H, P337H, T337H, T337H-SP, 340, 340A, 350, 400, 401, 401A, 401B, 402, 402A, 402B, 402C, 404, 406, 411, 411A, 414, 414A, 421, 421A, 421B, 421C, 425, 441, 500, 501, 510, 525, 525A, 525B, 525C, 550, S550, 551, 560, 560XL, 650, 680, 750

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Cirrus	SR20, SR22
Commander Aircraft Co.	112, 112TC, 112B, 112TCA, 114, 114A, 114B, 114TC
Dassault Falcon	7X, 10, 20, 20C, 20D, 20E, 20F, 20FH, 20G, 20H, 20-C5, 20-D5, 20-E5, 20-F5, 50, 50EX, 100, 200, 900, 900B, 900EX, 900C, 900DX, 900LX, 2000, 2000EX, 2000DX, 2000LX
DeHavilland/Bombardier	DH.C1, DH.1, DH.1A, DHC-2 MARK I, DHC-2 MARK II, DHC-2 MARK III, DHC-3, DHC-6-1, DHC-6-100, DHC-6-200, DHC-6-300, DHC-8-100, DHC-8-101, DHC-8-102, DHC-8-103, DHC-8-106, DHC-8-200, DHC-8-201, DHC-8-202, DCH-8-300, DHC-8-301, DHC-8-311, DHC-8-314, DHC-8-315, DHC-8-300A
Diamond Aircraft Company	DV20A-1, DA20A-1, DA20-100, DA20C-1, DA40, DA40D, DA40F, DA42, DA42M, DA42L360, DA42NG
Dornier	228, 228-100, 228-200, 328, 328-100, 328-1110, 328-120, 328-130, 328-300
Douglas	DC-3
Embraer	EMB110, EMB120ER
Fairchild	SA26-T, SA26-AT, SA226-T, SA226-AT, SA226-T(B), SA226-TC, SA227-AT, SA227-TT, SA227-AC, SA227-BC, SA227-CC, SA227-DC, SA227-PC
Fokker	F27-MK600
Grob-Werke	G115, G115A, G115B, G115C2, G115D, G115D2, G115EG, G120A, G520, G520T
Grumman American (Tiger Aircraft LLC)	AA-1, AA-1A, AA-1B, AA-1C, AA-5, AA-5A, AA-5B, AG-5B

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Gulfstream (Gulfstream Aerospace)	III, IV, V
Gulfstream American Corp (Grumman)	G-44, G-44A
Hawker Siddeley	H.S.125
Hughes	369D
IAI Westwind (Westwind Astra)	1123, 1124, 1124A, 1125
Lancair Company (The) (Columbia Aircraft)	LC40-550FG, LC41-550FG, LC42=55-FG
Learjet (Bombardier)	23, 24, 24A, 24B, 24C, 24D, 24D/A, 24E, 24F, 25, 25A, 25B, 25C, 25D, 25G, 26, 28, 29, 31, 31A, 31AER, 35, 35A, 36, 36A, 40, 45, 55, 55B, 55C, 55C/ER, 55C/LR, 60, 60XR
Let	L-410
Liberty Aerospace Incorporated	XL-2
Maule	Bee Dee, M-4, M-4C, M-4S, M-4T, M-4C-180, M-4-180C, M-4-180S, M-4-180T, M-4-210, M-4-210C, M-4-220C, M-4-220S, M-4-210S, M-4-210T, M-4-220, M-4-220T, M-5-180C, M-5-200, M-5-210C, M-5-210TC, M-5-220C, M-5-235C, M-6-180, M-6-235, M-7-235, MX-7-160, MX-7-160C, MXT-7-160, MX-7-180, MX-7-180A, MX-7-180B, MX-7-180C, MX-7-180AC, MXT-7-180, MXT-7-180A, M-7-235A, M-7-235B, M-7-235C, MT-7-235, MS-7-235, M-7-260, MT-7-260, M-7-260C, M-7-420A, M-7-420AC, MT-7-420, MX-7-420, M-8-235
McDonnell Douglas	DC-9-87

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Mitchell	B25
Mitsubishi	MU-2B-25, MU-2B-35, MU-2B-26, MU-2B-26A, MU-2B-36A, MU-2B-40, MU-2B-60, MU-2B, MU-2B-10, MU-2B-20, MU-2B-15, MU-2B-30, MU-2B-35, MU-2B-36
Mooney Aircraft Corporation	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S, M20T, M20TN, M22
Moravan (Moravan a.s.)	Z-143L, ZLIN Z-242L, ZLIN Z 562L
Navion Aircraft Company, Ltd. (Navion)	Navion, Navion A, Navion B, Navion D, Navion E, Navion F, Navion G, Navion H
North American (Rockwell International)	AT-6, AT-6A, AT-6B, AT-6C, AT-6D, BC-1A, NA-260 SNJ-7, T-6G
Partenavia (Vulcanair S.p.A.)	P68, P68B, P68C, P68C-TC, P68 "Observer", P68 (Observer 2), P68TC "Observer", AP68TP 300 "Spartacus", AP68TP600 "Viator", VA300
Piaggio (Piaggio Aero Industries S.p.A.)	P-180
Pilatus Aircraft Limited	PC-6, PC-6/350, PC-6/A, PC-6/A1, PC-6/A2, PC-6/B, PC-6/B1, PC-6/B2-H2, PC-6/C, PC-6/C1, PC-6/C2-H2, PC-6/D-H3, PC-6/H1, PC-6/H2, PC-6/350-H1, PC-6/B1-H2, PC-7, PC-12, PC-12/45, PC-12/47
Piper (New Piper)	PA-12, PA-12S, PA-18, PA-18S, PA-18-105, PA-18S-105, PA-18A, PA-18-125, PA-18S-125, PA-18AS-125, PA-18-35, PA-18A-135, PA-18AS-135, PA-18-150, PA18A-150, PA-18S-150, PA-18AS-150, PA-19, PA-19S, PA-20, PA-20S, PA-20-115, PA-20S-115, PA-20-135, PA-20S-135, PA-22, PA-22-108, PA-22-135, PA-22S-135, PA-22-150, PA-22S-150, PA-22-160, PA-22S-160, PA-23, PA-23-160, PA-23-235, PA-23-250, PA-E23-250, PA-24, PA-24-250, PA-24-260, PA-24-400, PA-28, PA-28-140, PA-28-150, PA-28-151, PA-28-160, PA-28-161,

Airframe	
Aircraft Manufacturer	Aircraft Make/Model/Series
Piper (New Piper)	PA-28-180, PA-28-235, PA-28S-160, PA-28R-180, PA-28S-180, PA-28-181, PA-28R-200, PA-28R-201, PA-28R-201T, PA-28RT-201, PA-28RT-201T, PA-28-201T, PA-28-36, PA-30, PA-31, PA-31-300, PA-31-325, PA-31-350, PA-31P, PA-31T, PA-31T1, PA-31T2, PA-31T3, PA-3P-350, PA-32-260, PA-32-300, PA-32S-300, PA-32R-300, PA-32RT-300, PA-32RT-300T, PA-32R-301(SP), PA-32R-301(HP), PA-32R-301T, PA-32-301, PA-32-301T, PA-32-301FT, PA-32-301XTC, PA-34-200, PA-34-200T, PA-34-220T, PA-39, PA-40, PA-42, PA-42-720, PA-42-1000, PA-42-720R, PA-44-180, PA-44-180T, PA-46-310P, PA-46-350P, PA-46-500TP
Raytheon (Beech)	3N, 3NM, 3TM, 18, 18A, S18A, 18B, S18B, 18D, S18D, A18D, SA18D, A18A, SA18A, 18R, 18S, B18S, C18S, D18S, D18C, E18S, E18S-9700, G18S, G18S-9180, H18, 19A, B19, M19A, A23, A23A, A23-19, A23-24, B23, C23, A24, A24R, B24R, C24R, E33, E33A, E33C, F33, F33A, F33C, G33, 35, 35R, 35-33, 35-A33, 35-B33, 35-C33, 36-C33A, A35, B35, C35 D35, E35, F35, G35, H35, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 36, A36, A36TC, B36TC 45, A45, B45, D45, 50, B50, C50, D50, D50A, D50B, D50C, D50E, E50, F50, G50, H50, J50, D50E-5990, 55, 55A, 55B, 55C, 55D, 55E, D55, D55A, E55, E55A 56, 56TC, A56TC, 58, 58A, 58P, 58PA, 58TC, 58TCA 60, A60, B60, 65, A65, A65-8200, 65-80, 65-A80, 65-A80-8800, 65-A90-3, 65-A90-4, 70, 76, 80, A80, B80, 88, A90, B90, C90, C90-A, C90A, C90B, C90GT, C90GTI, C90SE, E90, F90, F90-1, G90, 95, B95, B95A, D95, E95, 99, 99A, B99, A99A, C99, A99, 100, A100, B100, A100A, A100C, A100-1, 65-B80, 65-88, 65-A90, 65-A90-1, 65-A90-2, 200, 200C, 200CT, 200T, A200, B200, B200C, B200CT, B200T, A200C, A200CT B200GT, B200CGT, 300, 300LW, B300, B300C, 390, 390 PREMIER I, 390 PREMIER IA 390 PREMIER II, 350, 350ER, 350I, 400, 400A, 400XP, 1300, 1900, 1900C, 1900D, 2000, 2000A, 3000

Limited Ratings Capabilities List

Repair Station # WR1R594K